Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CONNECTICUT—*Westport.*—Month of November, 1898. Estimated population, 4,000. Total number of deaths, 1.

IOWA—*Burlington.*—Month of October, 1898. Census population, 22,565. Total number of deaths, 25, including diphtheria, 1, and 3 from phthisis pulmonalis.

Davenport.—Estimated population, 36,000. Total number of deaths, 28, indcluding diphtheria, 2, and 2 from phthisis pulmonalis.

Des Moines.—Census population, 50,093. Total number of deaths, 55, including diphtheria, 1; enteric fever, 5, and 4 from phthisis pulmonalis.

Dubuque.—Estimated population, 45,000. Total number of deaths, 31, including diphtheria, 5; enteric fever, 3, and 2 from phthisis pulmonalis.

Keokuk.—Estimated population, 19,305. Total number of deaths, 12, including 2 from phthisis pulmonalis.

Ottumwa.—Estimated population, 18,000. Total number of deaths, 8, including 1 from diphtheria.

Sibley.—Month of September, 1898. Estimated population, 1,300. One death.

MAINE—*Portland.*—Four weeks ended November 26, 1898. Estimated population, 41,500. Total number of deaths, 55, including diphtheria, 6; enteric fever, 3; scarlet fever, 1; whooping cough, 1, and 2 from phthisis pulmonalis.

MASSACHUSETTS—*Holyoke.*—Month of November, 1898. Estimated population, 44,214. Total number of deaths, 29, including enteric fever, 1, and 8 from phthisis pulmonalis.

Newton.—Month of July, 1898. Estimated population, 27,590. Total number of deaths, 44, including diphtheria, 2, and 2 from phthisis pulmonalis.

Month of August, 1898. Total number of deaths, 52, including whooping cough, 1, and 1 from phthisis pulmonalis.

Month of September, 1898. Total number of deaths, 46, including enteric fever, 1; whooping cough, 1, and 3 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 26, 1898, from 70 observers, indicate that whooping cough and intermittent fever increased and erysipelas decreased in area of prevalence. Phthisis pulmonalis was reported present at 126, enteric fever at 64, scarlet fever at 40, diphtheria at 35, whooping cough at 18, measles at 5, and smallpox at two places—Detroit and Ecorse Township.

MISSOURI—*Kansas City*—Month of October, 1898. Estimated population, 200,000. Total number of deaths, 159, including diphtheria, 5; enteric fever, 4; and 2 from phthisis pulmonalis.

NEW YORK.—Reports to the State board of health, Albany, from 155

cities, towns, and villages, for the month of October, 1898, show a total of 9,632 deaths, including diphtheria, 180; enteric fever, 281; measles, 10; scarlet fever, 38; whooping cough, 59, and 1,052 from phthisis pulmonalis.

NORTH CAROLINA.—Reports to the State board of health from 25 towns, having an aggregate population of 162,188; white, 92,548; colored, 69,640, show a total of 228 deaths, including enteric fever, 6; scarlet fever, 1; whooping cough, 2, and 25 from phthisis pulmonalis.

TENNESSEE—*Chattanooga.*—Month of November, 1898. Estimated population, 40,000; white, 27,000; colored, 13,000. Total number of deaths, 41; white, 23; colored, 18, including diphtheria, 1, and 2 from phthisis pulmonalis.

TEXAS—*Galveston.*—Four weeks ended August 26, 1898. Estimated population, 60,000. Total number of deaths, 59, including enteric fever, 2, and 2 from phthisis pulmonalis.

VIRGINIA—*Lynchburg.*—Estimated population, 30,000. Total number of deaths, 31, including enteric fever, 1, and 3 from phthisis pulmonalis.

Petersburg.—Month ended November 26, 1898. Estimated population, 25,000; white, 12,000; colored, 13,000. Total number of deaths, 36; white, 17; colored, 19, including enteric fever, 3; scarlet fever, 3, and 1 from phthisis pulmonalis.